



flowsafe[®]

Float Switch with Anchor Weight

DATA SHEET

First Publication Date: 01/09/2020

Revision: v1

Revision Date:



PRODUCT OVERVIEW

Flowsafe float switch with anchor weight

The **flow**safe float switch with anchor weight is one of the most universally used float switches, allowing electrical equipment to stop and start automatically when a pre-set level has been reached. When the tank empties, the float drops below this level and the tank can then re fill.

Ideally suited for level control on a variety of tank sizes due to it's compact size. The float switch comes with a 5 or 10 meter cable and a balance weight. The IP68 rated waterproof switch floats on the surface. The balance weight is attached to the cable and placed into the water to set the desired control level.

The free length of the cable (between the balance weight and the switch) determines the lowest and the highest fluid level.

- Can be used for normally closed or normally open operation
- Including a 5 or 10 meter cable with a balance weight
- Rated for voltages up to a max of 400V
- Robust watertight PP housing (IP68 certified)
- Maximum depth level: 10 m
- Dimensions 81 x 131 x 41.5 mm
- Weight 154g
- Operating angle $\pm 45^\circ$



flowtech[®]
WATER SOLUTIONS

flowzone[®]

MEMBERS AREA

This section of the **flowtech**[®] website holds information exclusively for members. Members will need to log in to gain access to these pages.

Our member's will be granted exclusive access to our **flowview**[®] technical resource library. Within this resource is a wide range of product information including data sheets, technical drawings, O&M Manuals and training videos



flowcare[®]

AFTER SALES SERVICE

At **flowtech**[®] we operate a network of Service Engineers located throughout the UK who are supported by our offices located in Greater Manchester. The distribution of engineers means that in the majority of cases we are less than 4 hours away from attending a customer call out.

We place great emphasis on providing technical back up to support our Service Engineers in resolving some difficult operational and technical issues. We pride ourselves on completing a project on time, within budget and never leaving a problem unresolved, or a customer waiting. This quality of service has made us the first choice for our customers.

FOR FURTHER INFORMATION OR ASSISTANCE

contact us

Flowtech Water Solutions are experts in water services and water booster sets. We have continuously supplied a wide range of standard and custom products since being founded in 1996.

MANUFACTURE & SUPPLY

TELEPHONE : 0333 200 1756

EMAIL: info@flowtech.org.uk

SERVICE & MAINTENANCE

TELEPHONE : 0333 200 1813

EMAIL: service@flowtech.org.uk

WEBSITE: www.flowtech.org.uk

ADDRESS : Unit 1 Lock Flight Buildings, Wheatlea Industrial Estate,
Wigan, Greater Manchester WN3 6XP United Kingdom

